



EASI-RENO
HYBRID₈

LUXURY RANGE

aspire
Hybrid Luxury Floating Floor



Australia's Most
Beautiful Floors

PREFERENCE FLOORS

Luxury Without Compromise


Aspire RCB Hybrid flooring represents next generation manufacturing techniques incorporating a rigid composite core board (RCB). RCB core is manufactured from inert mineral compounds that are stable and provide little or no movement; this enables excellent performance characteristics not commonly associated within the Luxury Vinyl Tile category.

The plank construction also incorporates a robust water based PU coating for everyday scuff resistance. Aspire's 0.7mm wear layer and printed visual décor provides realistic timber characteristics and colours in both classic Australian timber species and a contemporary colour palette. Each plank incorporates a stabilising balance layer on the underside with an attached acoustic cross-linked IXPE foam layer that delivers excellent noise reduction performance.

This next generation Hybrid flooring is dimensionally stable, highly durable and suitable for interior installations. Aspire provides instant appeal for modern housing, light commercial and retail shop fit out.

Key Features

- Interior Water Resistant, check local building code for suitable areas of use.
- Simple cut to size and angle click for fast install.
- RCB Hybrid planks provide superior dimensional stability.
- Excellent for renovations over existing tiles, minimal telegraphing.
- High impact resistant wear layer, 0.7mm.
- Super width and classic width planks.
- Attached acoustic sound pad to enhance walking comfort and minimise sound transmission.



NEW ENGLAND BLACKBUTT





NSW SPOTTED GUM

Australian Timber Decors

The warmth and character provided by our Australian timber collection feature both Blackbutt and Spotted Gum, these colours remain a popular choice for designers and renovators alike. Each plank provides its own unique story with 10 varying décor visuals that

display stunning texture and natural colour variation. The images used to create the décors represent a realistic likeness to the natural characteristics associated with the regions where these Australian Hardwoods originate.



COLOUR RANGE

1800 x 178 x 8mm

(Inc's. Acoustic U'LAY, it is not a Moisture Barrier)

5 Planks/Carton 1.602 m²

Coastal Blackbutt



New England Blackbutt



NSW Spotted Gum



QLD Spotted Gum

“
*Décor visuals
provide natural
warmth &
character*



WARM SPRINGS

Contemporary Decors

Our design team has created a subtle palette with colour versatility ideally suited to a variety of on-trend interior décors. Plank décor visuals are repositioned at manufacture to provide 8 orientations of the décor, delivering a floor with lots of personality and charm.

Certain colours within the range feature advanced embossing techniques across the length and width of the plank. This unique process enhances the décor visual for that particular colour.

COLOUR RANGE

1800 x 223 x 8mm

(Inc's. Acoustic U'LAY, it is not a Moisture Barrier)

4 Planks/Carton 1.606 m²

Technical Specifications

DESCRIPTION & PROFILE

Rigid Core Board (RCB) Hybrid Plank. Click profile floating install. Micro Bevel Edges, V4.

SURFACE FEATURES

Realistic timber visuals, on-trend colours and textures. Water based Matte coating.

SLIP RATING

AS 4586:2013 Appendix A, slider 96 Wet Pendulum P3.

FIRE TEST

CHF Value, 10.1 kWm².
Smoke Value, 102% minutes.

VOC EMISSIONS

< E1, FloorScore Certified
SCS-EC10.3-2014 v4.0.

SIZE

1800 x 178 x 8mm, 1.602 m²/ Ctn, 5 planks
1800 x 223 x 8mm, 1.606 m²/ Ctn, 4 planks

ACOUSTIC VALUE

L'nT,w 42 - AAAC⁵ star rating, 5 Star,
Complies with NCC/BCA

WARRANTY

25 Year Limited Lifetime Structural Warranty
20 Year Limited Lifetime Warranty
5 Year Limited Lifetime Commercial Warranty



MOUNTAIN OAK





PEBBLE BEACH

Alloy Trims, Stair Nosings & Water Resistant Scotia

Alloy trims, stair nosing, and scotia are available to deliver a seamless finish to the flooring installation. These elements form a vital part of the overall installation process, we encourage thoughtful planning on what is needed during the selection phase.

For warranty support our hybrid floors must be installed with 200µm builders' film on all subfloors to impede either moisture from below or concrete vapour ingress. Installation guidelines including perimeter & room to room expansion requirements must be followed for warranty compliance. The IXPE underlay is acoustic only, it is not a moisture barrier.

Stair Nosing

Aspire colour matched stair nosing can be supplied from Preference Floors to suit your colour selection. If stairs are involved it's wise to spend time at the selection phase to better understand how the final look will be created by the install contractor.



Trims & Scotia

Suitable colour matched Alloy Trims and Water Resistant Scotia are available to support a range of install applications.



aspire

Hybrid Luxury Floating Floor



Preference Floors (SA)

Adelaide

08 8262 2774

sa@preferencefloors.com.au

Preference Floors (WA)

Perth

08 9471 7785

wa@preferencefloors.com.au

Preference Floors (QLD)

Brisbane

07 3875 1688

qld@preferencefloors.com.au

Preference Floors (NSW)

Sydney

02 9738 1188

sales@preferencefloors.com.au

Preference Floors (VIC)

Melbourne

03 9794 5111

vic@preferencefloors.com.au

PREFERENCE  FLOORS

www.preferencefloors.com.au